



	Yes	No
<b>General Laboratory Area</b>		
1. Are the counter tops clean and free of unnecessary clutter?	<input type="checkbox"/>	<input type="checkbox"/>
2. Are the floors clean and free of unnecessary clutter?	<input type="checkbox"/>	<input type="checkbox"/>
3. Are exits clear of obstructions?	<input type="checkbox"/>	<input type="checkbox"/>
4. Are shelves orderly and free of unsafe objects?	<input type="checkbox"/>	<input type="checkbox"/>
5. Are chemicals that are out only those which are in use and in amounts as small as practical?	<input type="checkbox"/>	<input type="checkbox"/>
6. Are general waste containers free of unprotected sharps and/or biological waste?	<input type="checkbox"/>	<input type="checkbox"/>
7. Are sinks clean and free of unnecessary objects?	<input type="checkbox"/>	<input type="checkbox"/>
8. Is the lighting functioning properly?	<input type="checkbox"/>	<input type="checkbox"/>
9. Are adequate signs (Exit, Biohazardous, etc...) posted and visible?	<input type="checkbox"/>	<input type="checkbox"/>

	Yes	No
<b>Laboratory Equipment</b>		
1. Does electrical equipment (i.e. cords and connections) appear to be in good condition?	<input type="checkbox"/>	<input type="checkbox"/>
2. Is lab equipment stored properly?	<input type="checkbox"/>	<input type="checkbox"/>
3. Is the lab free of unauthorized electrical equipment?	<input type="checkbox"/>	<input type="checkbox"/>
4. Is the lab free of extension cords being used in place of permanent wiring?	<input type="checkbox"/>	<input type="checkbox"/>

	Yes	No
<b>Safety Equipment</b>		
1. Has the eyewash station been checked?	<input type="checkbox"/>	<input type="checkbox"/>
2. Are the fire extinguishers filled and checked?	<input type="checkbox"/>	<input type="checkbox"/>
3. Is the first aid kit properly supplied?	<input type="checkbox"/>	<input type="checkbox"/>
4. Is adequate PPE available?	<input type="checkbox"/>	<input type="checkbox"/>
5. Are MSDS sheets up to date and available?	<input type="checkbox"/>	<input type="checkbox"/>
6. Is the Crime Lab Safety Manual available?	<input type="checkbox"/>	<input type="checkbox"/>
7. Are emergency numbers readily available?	<input type="checkbox"/>	<input type="checkbox"/>

	Yes	No
<b>Chemical Hoods (4114)</b>		
1. Has the air flow been checked?	<input type="checkbox"/>	<input type="checkbox"/>
2. Are chemicals designated for the hood properly stored and labeled?	<input type="checkbox"/>	<input type="checkbox"/>
3. Are the hood areas clean and free of unnecessary clutter?	<input type="checkbox"/>	<input type="checkbox"/>
4. Are the sinks clean and free of unnecessary objects?	<input type="checkbox"/>	<input type="checkbox"/>
5. Is the lighting functioning properly?	<input type="checkbox"/>	<input type="checkbox"/>

	Yes	No
<b>Chemical Storage Area (4114)</b>		
1. Are chemicals stored in appropriate containers?	<input type="checkbox"/>	<input type="checkbox"/>
2. Are containers properly labeled?	<input type="checkbox"/>	<input type="checkbox"/>
3. Are chemicals separated by hazard classification and reactivity?	<input type="checkbox"/>	<input type="checkbox"/>
4. Have outdated chemicals been disposed of?	<input type="checkbox"/>	<input type="checkbox"/>

5. Are flammable and combustible materials properly stored in the flammable storage cabinet?

--	--

**Comments:**


**Corrective Action:**


Inspected By: \_\_\_\_\_ Date: \_\_\_\_\_